

Routine Blood Test Reports

Before Surgery



Figure 1

Figure 2

| | | | |
|-------------|------------------------------|-------------|--------------------------------|
| Sample | 1 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/7/22 |
| WBC Message | Nil | RBC Message | Anemia |
| WBC | 8.23 (10 ⁹ /L) | RBC | 3.99 (10 ¹² /L) |
| Neu # % | 5.68 (10 ⁹ /L) | HGB | 95.00 (g/L) |
| Lym # % | 0.83 (10 ⁹ /L) | HCT | 25.20 (%) |
| Mon # % | 0.47 (10 ⁹ /L) | MCV | 63.20 (fL) |
| Eos # % | 1.24 (10 ⁹ /L) | MCH | 23.70 (pg) |
| Bas # % | 0.01 (10 ⁹ /L) | MCHC | 376.00 (g/L) |
| | | RDW-CV | 14.00 (%) |
| | | RDW-SD | 35.20 (fL) |
| | | PLT | 196.00 (10 ⁹ /L) |
| | | MPV | 11.20 (fL) |
| | | PDW | 15.30 (%) |
| | | PCT | 0.219 (%) |

| | | | |
|-------------|-------------------------------|-------------|--------------------------------|
| Sample | 2 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/7/22 |
| WBC Message | Nil | RBC Message | Anemia |
| WBC | 13.80 (10 ⁹ /L) | RBC | 4.11 (10 ¹² /L) |
| Neu # % | 10.80 (10 ⁹ /L) | HGB | 98.00 (g/L) |
| Lym # % | 1.69 (10 ⁹ /L) | HCT | 25.60 (%) |
| Mon # % | 0.68 (10 ⁹ /L) | MCV | 62.20 (fL) |
| Eos # % | 0.57 (10 ⁹ /L) | MCH | 23.90 (pg) |
| Bas # % | 0.02 (10 ⁹ /L) | MCHC | 385.00 (g/L) |
| | | RDW-CV | 14.00 (%) |
| | | RDW-SD | 35.30 (fL) |
| | | PLT | 410.00 (10 ⁹ /L) |
| | | MPV | 9.50 (fL) |
| | | PDW | 15.00 (%) |
| | | PCT | 0.388 (%) |
| Sample | 3 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/7/22 |
| WBC Message | Nil | RBC Message | Anemia |
| WBC | 10.61 (10 ⁹ /L) | RBC | 4.90 (10 ¹² /L) |
| Neu # % | 7.10 (10 ⁹ /L) | HGB | 109 (g/L) |
| Lym # % | 2.35 (10 ⁹ /L) | HCT | 29.30 (%) |
| Mon # % | 0.93 (10 ⁹ /L) | MCV | 59.90 (fL) |
| Eos # % | 0.21 (10 ⁹ /L) | MCH | 22.20 (pg) |
| Bas # % | 0.02 (10 ⁹ /L) | MCHC | 371 (g/L) |
| | | RDW-CV | 14.70 (%) |
| | | RDW-SD | 36.40 (fL) |
| | | PLT | 244.00 (10 ⁹ /L) |
| | | MPV | 12.00 (fL) |
| | | PDW | 15.10 (%) |
| | | PCT | 0.292 (%) |

Biochemistry Test Reports

Before Surgery

| | | | | | |
|--------|------|------|--------|------|------|
| Sample | 1 | | | | |
| Ca* | 1.64 | ALP* | 74.30 | P-II | 1.21 |
| Sample | 2 | | | | |
| Ca* | 1.57 | ALP* | 76.20 | P-II | 1.22 |
| Sample | 3 | | | | |
| Ca* | 1.91 | ALP* | 124.50 | P-II | 1.57 |

On Surgery



Figure 3

After Surgery



Figure 4

Routine Blood Test Reports

After 1 Month of Surgery




Figure 5

Figure 6

| | | | |
|-------------|--|-------------|--------------------------------|
| Sample | 1 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/9/21 |
| WBC Message | Nil | RBC Message | Anemia |
| WBC | 9.15 (10 ⁹ /L) | RBC | 3.46 (10 ¹² /L) |
| Neu # % | 6.25 (10 ⁹ /L) 68.30 (%) | HGB | 81.00 (g/L) |
| Lym # % | 0.8 (10 ⁹ /L) 8.80 (%) | HCT | 21.80 (%) |
| Mon # % | 1.59 (10 ⁹ /L) 17.40 (%) | MCV | 63.10 (fL) |
| Eos # % | 0.49 (10 ⁹ /L) 5.30 (%) | MCH | 23.40 (pg) |
| Bas # % | 0.02 (10 ⁹ /L) 0.20 (%) | MCHC | 371.00 (g/L) |
| | | RDW-CV | 15.50 (%) |
| | | RDW-SD | 39.10 (fL) |
| | | PLT | 212.00 (10 ⁹ /L) |
| | | MPV | 11.40 (fL) |
| | | PDW | 16.10 () |
| | | PCT | 0.242 (%) |

| | | | |
|-------------|-------------------------------|-------------|--------------------------------|
| Sample | 2 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/9/21 |
| WBC Message | Eosinophilia | RBC Message | Nil |
| WBC | 18.58 (10 ⁹ /L) | RBC | 5.39 (10 ¹² /L) |
| Neu # % | 12.90 (10 ⁹ /L) | HGB | 129.00 (g/L) |
| Lym # % | 1.46 (10 ⁹ /L) | HCT | 33.50 (%) |
| Mon # % | 1.42 (10 ⁹ /L) | MCV | 62.10 (fL) |
| Eos # % | 2.77 (10 ⁹ /L) | MCH | 24 (pg) |
| Bas # % | 0.02 (10 ⁹ /L) | MCHC | 387.00 (g/L) |
| | 69.50 (%) | RDW-CV | 13.80 (%) |
| | 7.80 (%) | RDW-SD | 35.20 (fL) |
| | 7.60 (%) | PLT | 455.00 (10 ⁹ /L) |
| | 15.00 (%) | MPV | 10.30 (fL) |
| | 0.10 (%) | PDW | 15.40 (%) |
| | | PCT | 0.467 (%) |
| Sample | 3 | Method | Whole Blood |
| Animal Type | Dog | Date | 2024/9/21 |
| WBC Message | Nil | RBC Message | Nil |
| WBC | 14.97 (10 ⁹ /L) | RBC | 6.11 (10 ¹² /L) |
| Neu # % | 10.60 (10 ⁹ /L) | HGB | 143.00 (g/L) |
| Lym # % | 2.45 (10 ⁹ /L) | HCT | 38.90 (%) |
| Mon # % | 0.76 (10 ⁹ /L) | MCV | 63.70 (fL) |
| Eos # % | 1.11 (10 ⁹ /L) | MCH | 23.40 (pg) |
| Bas # % | 0.01 (10 ⁹ /L) | MCHC | 368 (g/L) |
| | 71.10 (%) | RDW-CV | 16.90 (%) |
| | 16.40 (%) | RDW-SD | 43.30 (fL) |
| | 5.10 (%) | PLT | 292.00 (10 ⁹ /L) |
| | 7.40 (%) | MPV | 10.90 (fL) |
| | 0.00 (%) | PDW | 15.70 (%) |
| | | PCT | 0.317 (%) |

Biochemistry Test Reports

After 1 Month of Surgery

| | | | | | |
|--------|------|------|-------|------|------|
| Sample | 1 | | | | |
| Ca* | 1.65 | ALP* | 38.50 | P-II | 1.10 |
| Sample | 2 | | | | |
| Ca* | 1.84 | ALP* | 61.30 | P-II | 1.49 |
| Sample | 3 | | | | |
| Ca* | 1.52 | ALP* | 53.30 | P-II | 1.24 |